

RFID



ROV-2503 button electronic label


ROV-2503 electronic label specification

Guangzhou Rovinj Mdt InfoTech Co.,Ltd.

Product Overview and Use:

ROV-2503 electronic tag is encapsulated by unsaturated polyester and has a built-in RFID chip. It is tailored for special working environments such as cloth, sweater bleaching and dyeing industry, strong washing, chemical raw material industry, medical treatment and so on. It is a wear-resistant, high-hardness, acid and alkali-resistant green environmental protection label.

Product Image:



product description:

Material: unsaturated polyester

Specifications: round, size 25*3mm, middle hole can be customized (appearance and size can be customized)

Weight: 2.5g

Color: Black (customizable)

Packaging process: integrated in-mold molding

Appearance process: printable, laser engraving, UID code

Packing: 500pcs/bag

Product Features:

Working frequency: 920~925Mhz

Standard protocol: ISO 18000-6C, EPC Class1 Gen 2

Reading distance: single tag reading distance 1.2~1.5m (R2000 handheld device)

Group reading performance: group reading 300pcs/1s (four-channel reader)

Group reading 200pcs/3s (R2000 handheld device)

Built-in chip: Impinj Monza MR6P

广州市白云区云城街萧岗花园路10号之一228创意园G栋301室

Rm 301, Bldg G, 228 Creative Park, 10-1 Xiaogang Garden Rd, Yuncheng Str, Baiyun Dist, Guangzhou, Guangdong, China

Web: www.rovinj.cn Email: sales@rovinj.cn Tel: 020-26298802

Working temperature: -20 ~ +60 degrees

Number of uses: recyclable

Test content: wear resistance, high hardness, acid and alkali resistance (PH6); waterproof grade: IPX-8
completely waterproof;

Note:

- 1. If there is any change in the manual, please refer to the latest version.*
- 2. Guangzhou Rovinj Information Technology Co., Ltd. reserves the right of final interpretation.*